

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

Monitoring Requirements Not Met for Bosque Farms Water Supply System

Este informe contiene información importante acerca de su agua potable. Haga que alguien lo traduzca para usted, o hable con alguien que lo entienda.

Our water system violated drinking water requirements over the past year. Even though these were not emergencies, as our customers, you have a right to know what happened and what we are doing (did) to correct these situations.

*We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During 2022 we did not complete all monitoring or testing for disinfection byproducts (Total Trihalomethanes and Haloacetic Acids) and therefore cannot be sure of the quality of your drinking water during that time. *

Table 1

Contaminants	Sample Name (Address)	Sampling Frequency	Compliance Period
Total Trihalomethanes & Haloacetic Acids	HAA5-1 1455 W. Bosque Loop	Yearly (July)	2022
Total Trihalomethanes & Haloacetic Acids	TTHM-1 1355 Desmet Road	Yearly (August)	2022

What should you do?

There is nothing you need to do. You do not need to boil your water or take other corrective actions. You may continue to drink the water. If a situation arises where the water is no longer safe to drink, you will be notified within 24 hours.

What happened and what is being done?

The Village of Bosque Farms will sample at both locations. We anticipate resolving the problem within one to two weeks.

For more information, please contact:

David Chavez at 505-991-6640 or at:
Bosque Farms Water Supply System,
NM3510732 PO Box 660
Peralta, New Mexico 87402

*Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail. *